Title: Image Forming Apparatus.
Inventor: Masamichi Aoki Customer No. 570
Appln. No.: 10/634,517

Atty. Docket: 9448-143US (G0272)







DECLIENCE	COMPRESSIBILITY					
RESILIENCE %	55	50	45	40	35	
50	×	×	×	×	×	
40	×	×	×	×	×	
35	×	×	×	×	×	
30	×	×	×	×	×	
25	×	×	×	×	×	
20	×	×	×	×	×	
15	×	×	×	×	×	
10	×	×	×	×	×	
5	×	×	×	×	×	

FIG.5

RESILIENCE %	COMPRESSIBILITY					
	55	50	45	40	35	
50	×	×	×	×	×	
40	0	0	0	0	0	
35	0	0	0	0	0	
30	0	0	0	0	0	
25	0	0	0	0	0	
20	0	0	0	0	0	
15	0	0	0	0	0	
10	×	×	×	×	×	
5	×	×	×	×	×	

Title: Image Forming Apparatus.

Inventor: Masamichi Aoki Customer No. 570

Appln. No.: 10/634,517

Atty. Docket: 9448-143US (G0272)



4/5 FIG.6

DECHLENCE	COMPRESSIBILITY				
RESILIENCE %	55	50	45	40	35
50	×	×	×	×	×
40	0	0	0	0	0
35	0	0	0	0	0
30	0	0	0	0	0
25	0	0	0	0	0
20	0	0	0	0	0
15	0	0	0	0	0
10	×	×	×	×	×
5	×	×	×	×	×

FIG.7

RESILIENCE	COMPRESSIBILITY				
	55	50	45	40	35
50	×	×	×	×	×
40	0	0	0	0	0
35	0	0	0	0	0
30	0	0	0	0	0
25	0	0	0	0	0
20	0	0	0	0	0
15	0	0	0	0	0
10	×	×	×	×	×
5	×	×	×	×	×



Title: Image Forming Apparatus.

Inventor: Masamichi Aoki Customer No. 570

Appln. No.: 10/634,517

Atty. Docket: 9448-143US (G0272)



5/5

FIG.8

RESILIENCE	COMPRESSIBILITY					
%	55	50	45	40	35	
50	×	×	×	×	×	
40	×	×	×	×	×	
35	×	×	×	×	×	
30	×	×	×	×	×	
25	×	×	×	×	×	
20	×	×	×	×	×	
15	×	×	×	×	×	
10	×	×	×	×	×	
5	×	×	×	×	×	